



Overview: model class **Q-CLASSIC-90**

Safe and approved storage of flammable hazardous substances in working areas



Robust industrial talent

- extremely robust design with scratch-proof surface
- triple hinged door for extreme strain
- safety elements assembled outside the storage compartment for increased protection against corrosion



High flexibility

- integrated transport base for simple inhouse transport
- cabinet can be transported upright through doors (all Q-LINE models)
- adjustable feet installed in the base allow the safe and fast compensation of minor surface unevenness



Guarantee up to 10 years

- the quality of Q convinces. That's why we give you a manufacturer's guarantee of up to 10 years

Further features of this model class



Modern bicolour design

- the Q-CLASSIC brings colour to your workplace: choice of seven door colours at no extra cost
- language-free labelling for optimum international usability



Cylinder lock with locking status indicator

- doors lockable with cylinder lock; the cabinets can be integrated by the customer in an existing master key system
- locking status indicator (red/green) signals the locking status of the cabinet



Visual inspection of the exhaust air function

- integrated air ducts ready for connection (DN 75) to a technical exhaust system
- visual inspection of the exhaust air function in the exhaust grille (rotating fan impeller)

Possible interior equipment



- **metal-free interior equipment** for the storage of aggressive hazardous materials
- as standard with **removable plastic sump**



- **drawers** with high storage volumes, ideal for storing small containers



- **height-adjustable shelves** in different versions



- **bottom collecting sump** – safe collection of leakages
- usable as storage level in conjunction with perforated insert



Safety storage cabinets for unrestricted storage of flammable hazardous materials in work areas in accordance with EN 14470-1 and TRGS 510



CLASSIC



- **fire resistance of 90 minutes** (type 90), type-tested in accordance with EN 14470-1



- **GS-tested** (EN 14470-1, EN 14727, document EK5/AK4 09-10, ProdSG)
- **50,000** wear-free opening and closing actions
- test basis: all cabinets of this model group correspond to the requirements of the Equipment and Product Safety Act (§7 Para. 1) with respect to the guarantee of safety and health



- all cabinets of this model group have been successfully tested in accordance with **FM test standard 6050** and are compliant to NFPA Code 30, NFPA 1 Fire Code, OSHA



- **excellent products with special manufacturer warranty**
- extended **manufacturer warranty of up to ten years** in connection with the asecos PREMIUM Q tariff





Q-CLASSIC-90 ◀ 120 cm ▶



Safety storage cabinet

Q-CLASSIC-90 model Q90.195.120

Body colour Anthracite grey (RAL 7016), with wing doors in Warning yellow (RAL 1004), interior equipment with 3 x shelf, 1 x perforated insert, 1 x bottom collecting sump (sheet steel powder-coated)

Order No. 30001-040-33635

(base cover and recirculating air filter system optional)



Safe and approved storage of flammable hazardous substances in working areas

Function / construction:

- **robust construction and longevity:** triple hinged door, safety elements assembled outside the storage compartment for increased protection against corrosion, scratch- and impact-resistant surface, easy to clean
- **easy handling with comfort:** doors stop in any position, self-closing in the event of fire
- **no unauthorised use:** doors lockable with cylinder locking (integration in an existing locking system possible) and locking state indicator (red/green)
- **easy transport:** integrated transport base with removable, optional base cover
- **easy alignment:** adjusting aids to compensate for uneven floor

- **ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust system, spinning wheel in the exhaust grid as an indicator of sufficient technical ventilation

Available equipment

- shelves with load capacity of 75 kg
- tray shelves with load capacity of 150 kg
- perforated insert useable as storage area
- bottom collecting sump
- drawers – high storage capacity, optimal use of the available storage capacities
- drawers heavy-duty with load capacity of 100 kg
- metal-free tray shelves and collecting sumps
- storage box
- sump inliner (PE or PP)



Maximum flexibility

- No problem with the Q-CLASSIC-90 including transport base and
- technical ventilation with recirculating air filter system (optional)
- Q-Mover (optional) for in-house transport



Shelf

Height adjustable (32 mm increments), with 30 mm upstand



Extraction unit

Safe ventilation of safety storage cabinets

plug-in – fast and easy to install

Further information and products from page 397

Order No. 14218

Recirculating air filter system

Avoid complex wall break-throughs and expensive extraction piping

Further information from page 393

Order No. 25099



**Safety storage cabinet****Q-CLASSIC-90 model Q90.195.120**

Body colour Anthracite grey (RAL 7016), with wing doors in Traffic red (RAL 3020), interior equipment with 6 x drawer (sheet steel powder-coated)

Order No. 30001-046-33649

(base cover and recirculating air filter system optional)

Safety storage cabinet**Q-CLASSIC-90 model Q90.195.120**

Body colour Anthracite grey (RAL 7016), with wing doors in Light grey (RAL 7035), interior equipment with 4 x drawer (sheet steel powder-coated)

Order No. 30001-041-33647

(base cover optional)

7 door colours are available **at no extra cost**:



Order example - how to order correctly



Model	Information / equipment	Order No.
Q90.195.120	without interior equipment	30001

Body colour	Door colour	Order No.
Anthracite grey RAL 7016	Warning yellow RAL 1004	040
Anthracite grey RAL 7016	Light grey RAL 7035	041
Anthracite grey RAL 7016	Traffic red RAL 3020	046
Anthracite grey RAL 7016	Gentian blue RAL 5010	047
Anthracite grey RAL 7016	Reseda green RAL 6011	048
Anthracite grey RAL 7016	asecos silver	049
Anthracite grey RAL 7016	Pure white RAL 9010	050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
		old code new code
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	30003 33635
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	30004 33636
3x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	30005 33637
4x shelf, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	30006 33638
3x tray shelf (V=33.0L), 1x perforated insert, 1x bottom collecting sump (V=55.5L)	sheet steel powder-coated RAL 7035	30007 33640
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30008 33642
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30009 33643
3x shelf, 1x bottom collecting sump (V=33.0L)	stainless steel	30010 33644
4x shelf, 1x bottom collecting sump (V=33.0L)	stainless steel	30011 33645
3x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	PP grey	HIGHLIGHT 30013 30013
4x tray shelf (V=33.0L), 1x bottom collecting sump (V=33.0L)	PP grey	HIGHLIGHT 30014 30014
4x drawer (V=30.0L)	sheet steel powder-coated RAL 7035	30015 33647
5x drawer (V=30.0L)	sheet steel powder-coated RAL 7035	30016 33648
6x drawer (V=30.0L)	sheet steel powder-coated RAL 7035	30017 33649
4x drawer (V=30.0L)	stainless steel	30018 33651
5x drawer (V=30.0L)	stainless steel	30019 33652
6x drawer (V=30.0L)	stainless steel	30020 33653



Individual configuration of model Q90.195.120

Model	Information / equipment	W x D x H (mm)	Order No.
Q90.195.120	without interior equipment	1193 x 615 x 1953	30001

Body colour	Door colour	Order No.
Anthracite grey RAL 7016	Warning yellow RAL 1004	040 4
Anthracite grey RAL 7016	Light grey RAL 7035	041 4
Anthracite grey RAL 7016	Traffic red RAL 3020	046 4
Anthracite grey RAL 7016	Gentian blue RAL 5010	047 4
Anthracite grey RAL 7016	Reseda green RAL 6011	048 4
Anthracite grey RAL 7016	asecos silver	049 4
Anthracite grey RAL 7016	Pure white RAL 9010	050 4

Interior equipment	Material	W x D x H (mm)	1)	2)	3)	Order No.
shelf	sheet steel powder-coated RAL 7035	1040 x 432 x 30*	75.00			old code 30021 new code 30021 2
	stainless steel	1038 x 425 x 29*	75.00			30024 30024 2
tray shelf	sheet steel powder-coated RAL 7035	1025 x 445 x 71*	150.00	33.00	30.00	30028 30028 2
	stainless steel	1025 x 445 x 71*	150.00	33.00	30.00	30064 30064 2
tray shelf, metal-free	PP grey	1002 x 472 x 74*	50.00	33.00	30.00	30027 30027 2
perforated insert	sheet steel powder-coated RAL 7035	1024 x 417 x 60	75.00			5536 5536 2
	stainless steel	1024 x 417 x 60	75.00			5773 5773 2
perforated insert, height = 135 mm	sheet steel powder-coated RAL 7035	1024 x 417 x 135	135.00			14084 14084 2
bottom collecting sump	sheet steel powder-coated RAL 7035	1024 x 489 x 86*		33.00	30.00	30022 33634 2
	stainless steel	1024 x 489 x 86*	150.00	33.00	30.00	30025 33641 2
bottom collecting sump, V = 55,5 ltr.	sheet steel powder-coated RAL 7035	1017 x 482 x 127*		55.50	50.45	30023 33639 2
	stainless steel	1018 x 438 x 120*		55.50	50.00	30026 30026 10
bottom collecting sump, metal-free	PP grey	1002 x 472 x 74*		33.00	30.00	26989 26989 2
drawer	sheet steel powder-coated RAL 7035	844 x 488 x 90*	60.00	30.00	2727	30013 33646 2
	stainless steel	844 x 488 x 90*	60.00	30.00	2727	30033 33650 2
drawer (heavy-duty)	sheet steel powder-coated RAL 7035	843 x 487 x 162*	100.00	66.00		30032 30032 4
	stainless steel	843 x 487 x 162*	100.00	66.00		30034 30034 10
storage box, left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360				30029 30029 2
storage box, right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360				30030 30030 2
sump inliner, for shelf	polyethylene black	1000 x 392 x 50*				7223 7223 2
sump inliner, for drawer	PP grey	834 x 450 x 96*				10054 10054 2
anti-slip rubber mat, for drawer	black	840 x 490 x 1				8699 8699 2
pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48				30035 30035 2
base cover	sheet steel powder-coated textured RAL 7016	1118 x 35 x 85				30036 30036 2
Q-mover, 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	450.00			30037 30037 2
box for chemicals	PP blue	410 x 300 x 260		18.00	16.36	30038 30038 2
document holder, DIN A5	polystyrene					30793 30793 2


Accessories	Order No.
recirculating air filter system with exhaust air monitoring	25099 2
extraction unit without exhaust air monitoring	14218 2

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

**NEWS and
LATEST INFORMATION:**
www.asecos.com





Technical data


External dimensions W x D x H	mm	1193 x 615 x 1953
Internal dimensions W x D x H	mm	1050 x 522 x 1647
Weight without interior equip.	kg	424
Air change 10 times	m ³ /h	9
Diff. pressure (air change 10 times)	Pa	5
Diff. pressure (air change 10 times EK5/AK4)	Pa	5
Maximum load	kg	600
Distributed load	kg/m ²	531

Transport base

Entry height transport base	mm	90
Entry width transport base	mm	1120

Q90.195.120

Top view



Q90.195.120

Drawers/number

	9	8	7	6	5	4+1	4	3	2
Distance ⑨ (mm)	150								
Distance ⑧ (mm)	135	150							
Distance ⑦ (mm)	135	170	185						
Distance ⑥ (mm)	135	170	200	250					
Distance ⑤ (mm)	135	170	200	230	250	250			
Distance ④ (mm)	135	170	200	230	295	230	345		
Distance ③ (mm)	135	170	200	230	295	230	360	440	
Distance ② (mm)	170	170	200	230	295	230	360	520	890
Distance ① (mm)	200	200	200	230	295	490	390	520	615

Q90.195.120

Shelves/number

	4	3
Distance ④ (mm)	320	
Distance ③ (mm)	350	420
Distance ② (mm)	350	450
Distance ① (mm)	290	380

Standard storage heights of the drawers


	9	8	7	6	5	4+1	4	3	2
Distance ⑨ (mm)	150								
Distance ⑧ (mm)	135	150							
Distance ⑦ (mm)	135	170	185						
Distance ⑥ (mm)	135	170	200	250					
Distance ⑤ (mm)	135	170	200	230	250	250			
Distance ④ (mm)	135	170	200	230	295	230	345		
Distance ③ (mm)	135	170	200	230	295	230	360	440	
Distance ② (mm)	170	170	200	230	295	230	360	520	890
Distance ① (mm)	200	200	200	230	295	490	390	520	615

Standard storage heights of the shelves

	4	3
Distance ④ (mm)	320	
Distance ③ (mm)	350	420
Distance ② (mm)	350	450
Distance ① (mm)	290	380

Storage capacities per drawer/type of container

Type of container	Container size
Aerosol cans	400 ml
Cans	1 litre
Laboratory glass bottles	1 litre
Laboratory PE-bottles	1 litre
Laboratory glass bottles	2.5 litres





Q-CLASSIC-90 ◀ 090 cm ▶



Safe and approved storage of flammable hazardous substances in working areas

Function / construction:

- **robust construction and longevity:** triple hinged door, safety elements assembled outside the storage compartment for increased protection against corrosion, scratch- and impact-resistant surface, easy to clean
- **easy handling with comfort:** doors stop in any position, self-closing in the event of fire
- **no unauthorised use:** doors lockable with cylinder locking (integration in an existing locking system possible) and locking state indicator (red/green)
- **easy transport:** integrated transport base with removable, optional base cover
- **easy alignment:** adjusting aids to compensate for uneven floor

- **ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust system, spinning wheel in the exhaust grid as an indicator of sufficient technical ventilation

Available equipment

- shelves with load capacity of 75 kg
- tray shelves with load capacity of 150 kg
- perforated insert useable as storage area
- bottom collecting sump
- drawers – high storage capacity, optimal use of the available storage capacities
- drawers heavy-duty with load capacity of 100 kg
- metal-free tray shelves and collecting sumps
- storage box
- sump liner (PE or PP)

Safety storage cabinet

Q-CLASSIC-90 model Q90.195.090

Body colour Anthracite grey (RAL 7016), with wing doors in Warning yellow (RAL 1004), interior equipment with 3 x shelf, 1 x perforated insert, 1 x bottom collecting sump (sheet steel powder-coated)

Order No. 30041-040-33622 4

(base cover and extraction unit optional)



Drawers

High storage capacity
Ideal for the storage of small containers



Extraction unit

Safe ventilation of safety storage cabinets

plug-in – fast and easy to install

Further information and products from page 397

Order No. 14218 2



Shelf

Height adjustable (32 mm increments), with 30 mm upstand



Metal-free interior equipment

Ideal for the storage of flammable, aggressive hazardous substances. Tray shelves with chemical resistant surface lamination and removeable plastic sump, bottom collecting plastic sump.



Recirculating air filter system

Avoid complex wall break-throughs and expensive extraction piping

Further information from page 393

Order No. 25099 2



**Safety storage cabinet****Q-CLASSIC-90 model Q90.195.090**

Body colour Anthracite grey (RAL 7016), with wing doors in Gentian blue (RAL 5010), interior equipment with 4 x drawer (sheet steel powder-coated)

Order No. 30041-047-33627

(base cover optional)

**Safety storage cabinet****Q-CLASSIC-90 model Q90.195.090**

Body colour Anthracite grey (RAL 7016), with wing doors in Light grey (RAL 7035), interior equipment with 6 x drawer (sheet steel powder-coated)

Order No. 30041-041-33629

(base cover optional)

7 door colours are available **at no extra cost:**



Order example - how to order correctly



Model	Information / equipment	Order No.
Q90.195.090	without interior equipment	30041

Body colour	Door colour	Order No.
Anthracite grey RAL 7016	Warning yellow RAL 1004	040
Anthracite grey RAL 7016	Light grey RAL 7035	041
Anthracite grey RAL 7016	Traffic red RAL 3020	046
Anthracite grey RAL 7016	Gentian blue RAL 5010	047
Anthracite grey RAL 7016	Reseda green RAL 6011	048
Anthracite grey RAL 7016	asecos silver	049
Anthracite grey RAL 7016	Pure white RAL 9010	050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
		old code new code
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30043 33622
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30044 33623
3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30045 33624
4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30046 33625
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30047 30047
4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30048 30048
3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30049 30049
4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30050 30050
3x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	HIGHLIGHT 30051 30051
4x tray shelf (V=22.0L), 1x bottom collecting sump (V=22.0L)	PP grey	HIGHLIGHT 30052 30052
4x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	30053 33627
5x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	30054 33628
6x drawer (V=19.0L)	sheet steel powder-coated RAL 7035	30055 33629
4x drawer (V=19.0L)	stainless steel	30056 33631
5x drawer (V=19.0L)	stainless steel	30057 33632
6x drawer (V=19.0L)	stainless steel	30058 33633



Individual configuration of model **Q90.195.090**



Model

Q90.195.090

Information / equipment

without interior equipment

W x D x H (mm)

893 x 615 x 1953

Order No.

30041



Body colour

Door colour

Order No.

Anthracite grey RAL 7016	Warning yellow RAL 1004	040
Anthracite grey RAL 7016	Light grey RAL 7035	041
Anthracite grey RAL 7016	Traffic red RAL 3020	046
Anthracite grey RAL 7016	Gentian blue RAL 5010	047
Anthracite grey RAL 7016	Reseda green RAL 6011	048
Anthracite grey RAL 7016	asecos silver	049
Anthracite grey RAL 7016	Pure white RAL 9010	050



Interior equipment

Material

W x D x H (mm)



Order No.

old code new code

	shelf	sheet steel powder-coated RAL 7035	740 x 432 x 30*	75.00			30059	30059
		stainless steel	740 x 432 x 30*	75.00			30061	30061
	tray shelf, metal-free	PP grey	702 x 472 x 74*	50.00	23.00	20.91	30063	30063
	perforated insert	sheet steel powder-coated RAL 7035	742 x 417 x 70	75.00			11165	11165
		stainless steel	742 x 417 x 70	75.00			11168	11168
	bottom collecting sump	sheet steel powder-coated RAL 7035	724 x 489 x 83*		22.00	20.00	30060	33621
		stainless steel	724 x 489 x 83*		23.00	20.91	30062	30062
	bottom collecting sump, metal-free	PP grey	702 x 472 x 74*		23.00	20.91	26990	26990
	drawer	sheet steel powder-coated RAL 7035	544 x 488 x 90*	60.00	19.00	17.27	30065	33626
		stainless steel	544 x 488 x 90*	60.00	19.00	17.27	30067	33630
	drawer (heavy-duty)	sheet steel powder-coated RAL 7035	543 x 487 x 162*	100.00	45.00		30066	30066
		stainless steel	543 x 487 x 162*	100.00	45.00		30068	30068
	storage box, left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360				30029	30029
	storage box, right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360				30030	30030
	sump inliner, for drawer	polyethylene white	536 x 480 x 90*		22.00	20.00	27948	27948
	sump inliner, for shelf	PP grey	653 x 406 x 88*				9707	9707
	anti-slip rubber mat, for drawer	black	540 x 490 x 1				15653	15653
	pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48				30035	30035
	base cover	sheet steel powder-coated textured RAL 7016	818 x 35 x 85				30069	30069
	Q-mover, 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	450.00			30037	30037
	box for chemicals	PP blue	410 x 300 x 260		18.00	16.36	30038	30038
	document holder, DIN A5	polystyrene					30793	30793




Accessories

Order No.

recirculating air filter system with exhaust air monitoring	25099
extraction unit without exhaust air monitoring	14218

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)



Technical data


External dimensions W x D x H	mm	893 x 615 x 1953
Internal dimensions W x D x H	mm	750 x 522 x 1647
Weight without interior equip.	kg	343
Air change 10 times	m ³ /h	6
Diff. pressure (air change 10 times)	Pa	5
Diff. pressure (air change 10 times EK5/AK4)	Pa	5
Maximum load	kg	600
Distributed load	kg/m ²	654

Transport base

Entry height transport base	mm	90
Entry width transport base	mm	820

Q90.195.090

Top view



Q90.195.090

Drawers/number

	9	8	7	6	5	4+1	4	3	2
Distance ⑨ (mm)	150								
Distance ⑧ (mm)	135	150							
Distance ⑦ (mm)	135	170	185						
Distance ⑥ (mm)	135	170	200	250					
Distance ⑤ (mm)	135	170	200	230	250	250			
Distance ④ (mm)	135	170	200	230	295	230	345		
Distance ③ (mm)	135	170	200	230	295	230	360	440	
Distance ② (mm)	170	170	200	230	295	230	360	520	890
Distance ① (mm)	200	200	200	230	295	490	390	520	615

Q90.195.090


Shelves/number

	4	3
Distance ④ (mm)	320	
Distance ③ (mm)	350	420
Distance ② (mm)	350	450
Distance ① (mm)	290	380

Standard storage heights of the shelves

Storage capacities per drawer/type of container

Quantity	Type of container	Container size
49	Aerosol cans	400 ml
23	Cans	1 litre
23	Laboratory glass bottles	1 litre
23	Laboratory PE-bottles	1 litre
9	Laboratory glass bottles	2.5 litres





Safe and approved storage of flammable hazardous substances in working areas

Function / construction:

- **robust construction and longevity:** triple hinged door, safety elements assembled outside the storage compartment for increased protection against corrosion, scratch- and impact-resistant surface, easy to clean
- **easy handling with comfort:** door stops in any position, self-closing in the event of fire
- **no unauthorised use:** door lockable with cylinder locking (integration in an existing locking system possible) and locking state indicator (red/green)
- **easy transport:** integrated transport base with removable, optional base cover
- **easy alignment:** adjusting aids to compensate for uneven floor

- **ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust system, spinning wheel in the exhaust grid as an indicator of sufficient technical ventilation

Available equipment

- shelves with load capacity of 75 kg
- tray shelves with load capacity of 150 kg
- perforated insert useable as storage area
- bottom collecting sump
- drawers – high storage capacity, optimal use of the available storage capacities
- drawers heavy-duty with load capacity of 100 kg
- metal-free tray shelves and collecting sumps
- storage box
- sump inliner (PE or PP)

Safety storage cabinet

Q-CLASSIC-90 model Q90.195.060

Body colour Anthracite grey (RAL 7016), with wing door in Warning yellow (RAL 1004), interior equipment with 3 x shelf, 1 x perforated insert, 1 x bottom collecting sump (sheet steel powder-coated)

Order No. 30072-040-33600 4

(base cover and recirculating air filter system optional)



Maximum flexibility

- No problem with the Q-CLASSIC-90 including transport base and
- technical ventilation with recirculating air filter system (optional)
 - Q-Mover (optional) for in-house transport



Drawers

High storage capacity
Ideal for the storage of small containers



Shelf

Height adjustable (32 mm increments), with 30 mm upstand



Metal-free interior equipment

Ideal for the storage of flammable, aggressive hazardous substances. Tray shelves with chemical resistant surface lamination and removeable plastic sump, bottom collecting plastic sump.



**Safety storage cabinet****Q-CLASSIC-90 model Q90.195.060**

Body colour Anthracite grey (RAL 7016), with wing door in Gentian blue (RAL 5010), interior equipment with 6 x drawer (sheet steel powder-coated)

Order No. 30072-047-33610

(base cover and recirculating air filter system optional)

**Safety storage cabinet****Q-CLASSIC-90 model Q90.195.060**

Body colour Anthracite grey (RAL 7016), with wing door in Traffic red (RAL 3020), interior equipment with 4 x drawer (sheet steel powder-coated)

Order No. 30072-046-33608

(base cover optional)

7 door colours are available **at no extra cost:**



Order example - how to order correctly



	Model	Information / equipment	Order No.
	Q90.195.060	without interior equipment, left hinged	30072
	Q90.195.060.R	without interior equipment, right hinged	30073

	Body colour	Door colour	Order No.
	Anthracite grey RAL 7016	Warning yellow RAL 1004	040
	Anthracite grey RAL 7016	Light grey RAL 7035	041
	Anthracite grey RAL 7016	Traffic red RAL 3020	046
	Anthracite grey RAL 7016	Gentian blue RAL 5010	047
	Anthracite grey RAL 7016	Reseda green RAL 6011	048
	Anthracite grey RAL 7016	asecos silver	049
	Anthracite grey RAL 7016	Pure white RAL 9010	050

	Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
	3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	old code new code
	4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30076 33600
	3x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30077 33602
	4x shelf, 1x bottom collecting sump (V=22.0L)	sheet steel powder-coated RAL 7035	30078 33603
	3x tray shelf (V=12.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	sheet steel powder-coated RAL 7035	30079 33604
	3x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30080 33606
	4x shelf, 1x perforated insert, 1x bottom collecting sump (V=22.0L)	stainless steel	30081 30081
	3x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30082 30082
	4x shelf, 1x bottom collecting sump (V=22.0L)	stainless steel	30083 30083
	3x tray shelf (V=12.0L), 1x perforated insert, 1x bottom collecting sump (V=33.0L)	stainless steel	30084 30084
	3x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30085 30085
	4x tray shelf (V=11.0L), 1x bottom collecting sump (V=11.0L)	PP grey	30086 30086
	4x drawer (V=5.0L)	sheet steel powder-coated RAL 7035	30087 30087
	5x drawer (V=5.0L)	sheet steel powder-coated RAL 7035	30088 33608
	6x drawer (V=5.0L)	sheet steel powder-coated RAL 7035	30089 33609
	3x drawer (V=5.0L), 1x drawer (disposal) (V=30.0L)	sheet steel powder-coated RAL 7035	30090 33610
	4x drawer (V=5.0L), 1x drawer (disposal) (V=30.0L)	sheet steel powder-coated RAL 7035	30091 33612
	4x drawer (V=5.0L)	stainless steel	30092 33613
	5x drawer (V=5.0L)	stainless steel	30093 33616
	6x drawer (V=5.0L)	stainless steel	30094 33617
	3x drawer (V=5.0L), 1x drawer (disposal) (V=30.0L)	stainless steel	30095 33618
	4x drawer (V=5.0L), 1x drawer (disposal) (V=30.0L)	stainless steel	30096 33619
		stainless steel	30097 33620



Individual configuration of model Q90.195.060



Model	Information / equipment	W x D x H (mm)	Order No.
Q90.195.060	without interior equipment, left hinged	599 x 615 x 1953	30072
Q90.195.060.R	without interior equipment, right hinged	599 x 615 x 1953	30073



Body colour	Door colour	Order No.
Anthracite grey RAL 7016	Warning yellow RAL 1004	040 4
Anthracite grey RAL 7016	Light grey RAL 7035	041 4
Anthracite grey RAL 7016	Traffic red RAL 3020	046 4
Anthracite grey RAL 7016	Gentian blue RAL 5010	047 4
Anthracite grey RAL 7016	Reseda green RAL 6011	048 4
Anthracite grey RAL 7016	asecos silver	049 4
Anthracite grey RAL 7016	Pure white RAL 9010	050 4




Interior equipment	Material	W x D x H (mm)	 ¹⁾	 ²⁾	 ³⁾	Order No.	
						old code	new code
	shelf	sheet steel powder-coated RAL 7035	440 x 432 x 30*	75.00		30098	30098 2
		stainless steel	440 x 432 x 30*	75.00		30102	30102 2
	tray shelf	sheet steel powder-coated RAL 7035	427 x 442 x 70*	150.00	12.00	30099	30099 2
		stainless steel	427 x 442 x 70*	150.00	12.00	30103	30103 6
	tray shelf, metal-free	PP grey	424 x 472 x 67*	50.00	13.00	30106	30106 2
	perforated insert	sheet steel powder-coated RAL 7035	420 x 439 x 60	75.00		5555	5555 2
		stainless steel	425 x 439 x 60	75.00		5776	5776 2
	perforated insert, height = 180 mm	sheet steel powder-coated RAL 7035	438 x 453 x 180	75.00		17693	17693 4
	perforated insert	stainless steel	438 x 453 x 170	75.00		10254	10254 4
	bottom collecting sump	sheet steel powder-coated RAL 7035	442 x 507 x 127		22.00	30100	33594 2
		stainless steel	418 x 433 x 120*		22.00	30104	30104 2
	bottom collecting sump, height = 180 mm	sheet steel powder-coated RAL 7035	409 x 474 x 171*		33.00	30101	33605 2
	bottom collecting sump, height = 170 mm	stainless steel	439 x 454 x 170*		33.00	30105	30105 6
	bottom collecting sump, metal-free	PP grey	422 x 472 x 67*		12.50	25424	25424 2
	drawer	sheet steel powder-coated RAL 7035	345 x 500 x 50*	25.00	5.00	30108	33607 2
		stainless steel	345 x 500 x 50*	25.00	5.00	30110	33614 2
	drawer (disposal)	sheet steel powder-coated RAL 7035	329 x 462 x 200*	50.00	30.00	30109	30109 2
		stainless steel	329 x 462 x 150*	50.00	30.00	30111	30111 2
	storage box, left hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360			30029	30029 2
	storage box, right hinged	sheet steel powder-coated RAL 7035	380 x 420 x 360			30030	30030 2
	sump inliner, for drawer disposal	PP grey	318 x 449 x 66*			18472	18472 2
	sump inliner	PP grey	353 x 406 x 88*			9706	9706 2
	sump inliner, for drawer disposal	PP black	313 x 413 x 171*			18474	18474 2
	anti-slip rubber mat, for drawer disposal	black	495 x 340 x 1			8719	8719 2
	pipe lead-through	sheet steel powder-coated RAL 7035	182 x 104 x 48			30035	30035 2
	base cover	sheet steel powder-coated textured RAL 7016	524 x 35 x 85			30112	30112 2
	Q-mover, 2 pieces	steel powder-coated textured RAL 7016	600 x 140 x 130	450.00		30037	30037 2
	box for chemicals	PP blue	410 x 300 x 260		18.00	30038	30038 2
	document holder, DIN A5	polystyrene				30793	30793 2



Accessories	Order No.
extraction unit without exhaust air monitoring	14218 2
recirculating air filter system with exhaust air monitoring	25099 2

* usable storage space W x D (mm)


1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

**Technical data****Q90.195.060**

External dimensions W x D x H	mm	599 x 615 x 1953
Internal dimensions W x D x H	mm	450 x 522 x 1647
Weight without interior equip.	kg	265
Air change 10 times	m ³ /h	4
Diff. pressure (air change 10 times)	Pa	5
Diff. pressure (air change 10 times EK5/AK4)	Pa	5
Maximum load	kg	600
Distributed load	kg/m ²	894

Transport base

Entry height transport base	mm	90
Entry width transport base	mm	526

Top view**Q90.195.060****Drawers/number**

	9	8	7	6	5	4+1	4	3+1	3	2
Distance ⑨ (mm)	145									
Distance ⑧ (mm)	135	145								
Distance ⑦ (mm)	135	170	180							
Distance ⑥ (mm)	135	170	200	240						
Distance ⑤ (mm)	135	170	200	230	240	145				
Distance ④ (mm)	135	170	200	230	295	230	340	275		
Distance ③ (mm)	135	170	200	230	295	230	360	295	435	
Distance ② (mm)	170	170	200	230	295	230	360	295	520	880
Distance ① (mm)	200	200	200	230	295	475	390	475	520	615

Q90.195.060**Shelves/number**

	4	3
Distance ④ (mm)	320	
Distance ③ (mm)	350	420
Distance ② (mm)	350	450
Distance ① (mm)	290	380

Q90.195.060**Quantity**

	Type of container	Container size
30	Aerosol cans	400 ml
12	Cans	1 litre
12	Laboratory glass bottles	1 litre
12	Laboratory PE-bottles	1 litre
6	Laboratory glass bottles	2.5 litres

